

# Safety Data Sheet

Material Name CARBON DIOXIDE, LIQUID

SDS ID: 00244558

## \*\*\*Section 1 - IDENTIFICATION\*\*\*

**Product Identifier:** CARBON DIOXIDE, LIQUID

**Trade Names/Synonyms**

CARBONIC ACID; CARBON DIOXIDE LIQUID; CARBON DIOXIDE, REFRIGERATED LIQUID; CARBONIC ANHYDRIDE, REFRIGERATED LIQUID; UN 2187; CO<sub>2</sub>

**Chemical Family**

inorganic liquid

**Recommended Use**

industrial

**Restrictions on Use**

None known.

**Manufacturer Information**

Matheson Tri-Gas, Inc.  
dba Continental Carbonic Products  
909 Lake Carolyn Parkway, Suite 1100  
Irving, TX 75039

General Information: 800-262-8200  
Emergency #: 1-800-424-9300 (CHEMTREC)  
Outside the US: 703-527-3887 (Call collect)

## \*\*\*Section 2 - HAZARDS IDENTIFICATION\*\*\*

**Classification in accordance with 29 CFR 1910.1200**

Gas under pressure, Refrigerated liquefied gas

Specific Target Organ Toxicity - Single Exposure, Category 3 (central nervous system)

**GHS LABEL ELEMENTS**

**Symbol(s)**



**Signal Word**

WARNING

**Hazard Statement(s)**

Contains refrigerated gas; may cause cryogenic burns or injury

May cause drowsiness and dizziness

**Precautionary Statement(s)**

**Prevention**

Wear cold insulating gloves/face shield/eye protection. Avoid breathing gas. Use only outdoors or in a well-ventilated area.

**Response**

Thaw frosted parts with lukewarm water. Get immediate medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

**Storage**

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

# Safety Data Sheet

Material Name CARBON DIOXIDE, LIQUID

SDS ID: 00244558

## Disposal

Dispose in accordance with all applicable regulations.

## Hazard(s) Not Otherwise Classified

May cause frostbite upon sudden release of liquefied gas.

### \*\*\*Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS\*\*\*

CAS	Component	Percent
124-38-9	CARBON DIOXIDE, LIQUID	100

## Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: Carbon dioxide and ethylene oxide mixtures (8070-50-6).

### \*\*\*Section 4 - FIRST AID MEASURES\*\*\*

## Description of Necessary Measures

### Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

### Skin

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

### Eyes

Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

### Ingestion

If swallowed, get medical attention.

## Most Important Symptoms/Effects

### Acute

frostbite, central nervous system effects

### Delayed

No information on significant adverse effects.

## Indication of Immediate Medical Attention and Special Treatment

For inhalation, consider oxygen.

### \*\*\*Section 5 - FIRE FIGHTING MEASURES\*\*\*

## Suitable Extinguishing Media

Use extinguishing agents appropriate for surrounding fire.

## Unsuitable Extinguishing Media

Do not direct water at source of leak or safety devices; icing may occur.

## Specific Hazards Arising from the Chemical

Negligible fire hazard. Containers may rupture or explode if exposed to heat.

## Hazardous Combustion Products

Combustion: oxides of carbon, oxygen

# Safety Data Sheet

Material Name CARBON DIOXIDE, LIQUID

SDS ID: 00244558

## Fire Fighting Measures

Move container from fire area if it can be done without risk. Damaged cylinders should be handled only by specialists. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Do not direct water at source of leak or safety devices; icing may occur. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Stay away from the ends of tanks. For tank, rail car or tank truck, evacuation radius: 800 meters (1/2 mile). Use extinguishing agents appropriate for surrounding fire. Cool containers with water spray until well after the fire is out. Do not get water directly on material. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

## Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

## \*\*\*Section 6 - ACCIDENTAL RELEASE MEASURES\*\*\*

### Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

### Methods and Materials for Containment and Cleaning Up

Do not touch or walk through spilled material. Stop leak if possible without personal risk. If possible, turn leaking containers so that gas escapes rather than liquid. Use water spray to reduce vapors or divert vapor cloud drift. Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering. Prevent entry into sewers, drains, ditches, underground or confined spaces and waterways. Damaged cylinders should be handled only by specialists.

## \*\*\*Section 7 - HANDLING AND STORAGE\*\*\*

### Precautions for Safe Handling

Wear cold insulating gloves/face shield/eye protection. Avoid breathing gas. Use only outdoors or in a well-ventilated area.

### Conditions for Safe Storage, including any Incompatibilities

Store in a well-ventilated area. Keep container tightly closed. Store locked up. Store and handle in accordance with all current regulations and standards. Keep container tightly closed. Store locked up. Protect from physical damage. Store in a well-ventilated area. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

**Incompatibilities** combustible materials, oxidizing materials, metal salts, reducing agents, metal carbide, metals, bases, potassium, sodium, ethyleneimine

## \*\*\*Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION\*\*\*

### Component Exposure Limits

#### CARBON DIOXIDE, LIQUID (124-38-9)

**ACGIH:** 5000 ppm TWA  
30000 ppm STEL

**Europe:** 5000 ppm TWA; 9000 mg/m3 TWA

**OSHA (Final):** 5000 ppm TWA; 9000 mg/m3 TWA

**OSHA (Vacated):** 10000 ppm TWA; 18000 mg/m3 TWA  
30000 ppm STEL; 54000 mg/m3 STEL

**NIOSH:** 5000 ppm TWA; 9000 mg/m3 TWA  
30000 ppm STEL; 54000 mg/m3 STEL

### Component Biological Limit Values

There are no biological limit values for any of this product's components.

# Safety Data Sheet

Material Name CARBON DIOXIDE, LIQUID

SDS ID: 00244558

## IDLH

40,000 ppm

## Appropriate Engineering Controls

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

## Individual Protection Measures, such as Personal Protective Equipment

### Eyes/Face Protection

Wear splash resistant safety goggles with a faceshield. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

### Skin Protection

For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing.

### Glove Recommendations

Wear appropriate protective, cold insulating clothing.

### Respiratory Protection

The following respirators and maximum use concentrations are drawn from NIOSH and/or OSHA.

40,000 ppm

Any supplied-air respirator.

Any self-contained breathing apparatus with a full facepiece.

Emergency or planned entry into unknown concentrations or IDLH conditions -

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode.

Escape -

Any appropriate escape-type, self-contained breathing apparatus.

## \* \* \*Section 9 - PHYSICAL AND CHEMICAL PROPERTIES\* \* \*

<b>Physical State:</b>	Gas	<b>Appearance:</b>	colorless, gas
<b>Color:</b>	colorless	<b>Physical Form:</b>	compressed, liquefied gas
<b>Odor:</b>	odorless	<b>Odor Threshold:</b>	Not available
<b>Taste:</b>	acid taste	<b>pH:</b>	Not available
<b>Melting/Freezing Point:</b>	-70.0 - -56.56 °C	<b>Boiling Point:</b>	-78.50 - -61.7 °C
<b>Flash Point:</b>	none	<b>Decomposition:</b>	Not available
<b>Evaporation Rate:</b>	Not available	<b>LEL:</b>	Not available
<b>UEL:</b>	Not available	<b>Vapor Pressure:</b>	569 mmHg @ -82 °C
<b>Vapor Density (air = 1):</b>	1.5	<b>Specific Gravity (water=1):</b>	1.101 @ -37 °C
<b>Water Solubility:</b>	soluble	<b>Log KOW:</b>	Not available
<b>Auto Ignition:</b>	Not available	<b>Viscosity:</b>	0.0000701 Pa.s @20 °C
<b>Sublimation Point:</b>	-78.50 °C	<b>Triple Point:</b>	-56.6 °C @3883.6 mmHg
<b>Volatility by Volume:</b>	100 %	<b>Molecular Weight:</b>	44.01
<b>Molecular Formula:</b>	C-02		

## Other Property Information

### Solvent Solubility

**Soluble:** hydrocarbons, organic solvents, acetone, alcohol

# Safety Data Sheet

Material Name CARBON DIOXIDE, LIQUID

SDS ID: 00244558

## \*\*\*Section 10 - STABILITY AND REACTIVITY\*\*\*

### Reactivity

Containers may rupture or explode if exposed to heat.

### Chemical Stability

Stable at normal temperatures and pressure.

### Possibility of Hazardous Reactions

Will not polymerize.

### Conditions to Avoid

Protect from physical damage and heat. Containers may rupture or explode if exposed to heat. Avoid contact with water or moisture.

### Incompatible Materials

combustible materials, oxidizing materials, metal salts, reducing agents, metal carbide, metals, bases, potassium, sodium, ethyleneimine

### Hazardous Decomposition

**Combustion:** oxides of carbon, oxygen

## \*\*\*Section 11 - TOXICOLOGICAL INFORMATION\*\*\*

### Acute and Chronic Toxicity

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

#### RTECS Acute Toxicity (selected)

The components of this material have been reviewed, and RTECS publishes the following endpoints:

#### CARBON DIOXIDE, LIQUID (124-38-9)

**Inhalation:** 200000 ppm/2 hour Inhalation Mouse LC50; 361 gm/m3/2 hour Inhalation Mouse LC50

#### Acute Toxicity Level

#### CARBON DIOXIDE, LIQUID (124-38-9)

**Non Toxic:** inhalation

### Information on Likely Routes of Exposure

#### Inhalation

ringing in the ears, nausea, irregular heartbeat, headache, drowsiness, dizziness, tingling sensation, visual disturbances, suffocation, convulsions, coma

#### Ingestion

frostbite

#### Skin Contact

blisters, frostbite

#### Eye Contact

frostbite, blurred vision

#### Immediate Effects

frostbite, central nervous system effects

#### Delayed Effects

No information on significant adverse effects.

#### Medical Conditions Aggravated by Exposure

heart or cardiovascular disorders, respiratory disorders

#### Irritation/Corrosivity Data

No data available.

# Safety Data Sheet

Material Name **CARBON DIOXIDE, LIQUID**

SDS ID: 00244558

## RTECS Irritation

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

## Target Organs

**CARBON DIOXIDE, LIQUID (124-38-9)**

central nervous system

## Respiratory Sensitization

No data available.

## Dermal Sensitization

No data available.

## Carcinogenicity

### Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, OSHA or DFG.

## Mutagenic Data

No data available.

## Reproductive Effects Data

No data available.

## RTECS Reproductive Effects

The components of this material have been reviewed, and RTECS publishes the following endpoints:

**CARBON DIOXIDE, LIQUID (124-38-9)**

2 pph Inhalation Mouse TCLo (8 hour, pregnant 10 day(s)); 55 pph Inhalation Mouse TCLo (4 hour, 6 day(s)); 55 pph Inhalation Mouse TCLo (2 hour, 3 day(s)); 13 pph Inhalation Rabbit TCLo (4 hour, pregnant 9-12 day(s)); 6 pph Inhalation Rat TCLo (24 hour, pregnant 10 day(s)); 6 pph Inhalation Rat TCLo (24 hour, pregnant 10 day(s))

## Tumorigenic Data

No data available.

## Specific Target Organ Toxicity - Single Exposure

central nervous system

## Specific Target Organ Toxicity - Repeated Exposure

No data available.

## Aspiration Hazard

Not applicable.

## \*\*\*Section 12 - ECOLOGICAL INFORMATION\*\*\*

### Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

### Persistence and Degradability

No data available.

### Bioaccumulative Potential

No data available.

### Mobility

No data available.

## \*\*\*Section 13 - DISPOSAL CONSIDERATIONS\*\*\*

### Disposal Methods

Dispose in accordance with all applicable regulations.

### Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

# Safety Data Sheet

Material Name CARBON DIOXIDE, LIQUID

SDS ID: 00244558

## \*\*\*Section 14 - TRANSPORT INFORMATION\*\*\*

### US DOT Information

**Shipping Name:** Carbon dioxide, refrigerated liquid

**UN/NA #:** UN2187 **Hazard Class:** 2.2

**Required Label(s):** 2.2

### IMDG Information

**Shipping Name:** Carbon dioxide, refrigerated liquid

**UN #:** UN2187 **Hazard Class:** 2.2

**Required Label(s):** 2.2

## \*\*\*Section 15 - REGULATORY INFORMATION\*\*\*

### Component Analysis

#### U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

#### SARA 311/312 Hazardous Categories

**Acute Health:** Yes **Chronic Health:** No **Fire:** No **Pressure:** Yes **Reactive:** No

#### U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
CARBON DIOXIDE, LIQUID	124-38-9	Yes	Yes	Yes	Yes	Yes

Not regulated under California Proposition 65

#### Component Analysis - Inventory

Component	CAS	US	CA	EU	AU	PH	JP	KR	CN	NZ
CARBON DIOXIDE, LIQUID	124-38-9	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes

## \*\*\*Section 16 - OTHER INFORMATION\*\*\*

**NFPA Ratings:** Health: 3 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

# Safety Data Sheet

Material Name CARBON DIOXIDE, LIQUID

SDS ID: 00244558

## Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States

## Other Information

Continental Carbonic Products makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Continental Carbonic Products shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.

End of Sheet 00244558